

## **AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

### **LISTING OF CLAIMS:**

1. (currently amended): Voice connection system between humans and animals,  
comprising:

- sensor means designed to be positioned on an animal for converting pulses detected on the animal's body into first electric signals indicating a status of said animal,

- processing means operatively associated with the sensor means, comprising memory means into which human voice messages corresponding to different statuses of the animal are recorded,

- loudspeaker means operatively connected to the processing means, the processing means receiving ~~the~~ first electric signals coming from said sensor means and activating said loudspeaker means in order to issue a voice message selected in said memory means, in function of the aforesaid first electric signals received,

- ~~voice-speech~~ recognition means for sending to the processing means second electric signals representing the content of voice messages uttered by a human user, and

- pulse-generating means, which receive from said processing means said second electric signals representing the content of the voice messages uttered by the human user, and which send to the animal's brain corresponding pulses,

wherein

- said processing means includes a neural network control system,

- said sensor means comprises first and second electroencephalographic sensors and an electromyographic sensor,

- at least the first and second ~~encephalographic~~ electroencephalographic sensors are placed close to respective ears of the animal, or close to its occipital-temporal region, and the electromyographic sensor is placed on the animal's neck, and

~~—said pulse-generating means send radioelectric waves directly to the animal's brain~~  
and wherein said pulse-generating means is constituted by a generator (1) of radioelectric waves, that converts said second electric signals into radioelectric waves having different frequencies and amplitude, which are sent directly to the animal's brain.

2. (currently amended): System according to claim 1, wherein said ~~recognition means~~ converts the animal's vocalizations into radioelectric waves, through said pulse-generating means generator (10) works with radiofrequency, so as to modulate a steady-state frequency at about 15 KHz with signals varying from 300 Hz to 4 KHz.

3. (original): System according to claim 1, wherein said neural network control system is programmed for enabling a human/animal interactive self-learning procedure, where in particular

- the human user can correct or acknowledge with his/her voice messages the correctness of the voice messages issued by said loudspeaker means, and/or

- the animal can hear the human voice and the corresponding radioelectric waves simultaneously, thus associating the two stimuli.

4. (currently amended): System according to claim 1, wherein said sensor means, said processing means, said loudspeaker means, said ~~voice-speech~~ recognition means and said pulse-generating means are integrated into a collar.

5. (currently amended): System according to claim 1, wherein said ~~voice-speech~~ recognition means are used as means integrated and/or complementary to said sensor means, in order to improve the interpretation of the animal's status as detected through said sensor means.

6. (previously presented): System according to claim 1, wherein said system develops in time, through an evolutionary process, a language which is the animal's own language, because the animal perceives - both with its own ears and through the stimuli produced by said pulse-generating means - its own vocalization and the voice output of said loudspeaker means.

7. (previously presented): System according to claim 1, wherein said electric signals indicating a status of the animal are the result of stimuli, feelings, events, actions, and/or behaviors, including those shown by the motion of the animal's muscles.

8. (currently amended): Method for allowing vocal connection between a human and an animal, comprising the following steps:

i) detecting on the body of the animal electric pulses in the animal's brain, muscles and/or nerves, which are indicative of a status of an animal in terms of stimuli, feelings, events,

actions, ~~and/or behaviours~~ behaviours, including those shown by the motion of the animal's muscles;

ii) converting the detected pulses into first electric signals which are sent to processing means;

iii) selecting by the processing means a stored human-type vocal message corresponding to received first electric signals and activate as a consequence a loudspeaker for emitting a selected human-type vocal message, thus simulating the possibility of speaking for the animal;

iv) receiving human-type vocal messages in a speech recognition means and sending respective second electric signals to the processing means; and

v) generating, by the processing means, stimuli for inducing the animal to take determined actions or perceive determined feelings as a function of the type of the received second electric signals,

wherein, for the purpose of performing step v), the received second electric signals are converted into radioelectric waves having different frequencies and amplitudes, which ~~can~~ are sent directly reach to the animal's brain.

9. (currently amended): ~~The~~ the method according to claim 8, wherein the animal is brought to develop its own language in time with an evolutive process, through an interactive loop comprising steps i) to v), including the hearing by the animal of the vocalizations it generates, as per steps i) to iii), in association with its reactions to the environment.

10. (new): The method according to claim 8, wherein said second electric signals are converted by a generator (1) that works with radiofrequency and modulates a steady-state frequency at about 15 KHz with signals varying from 300 Hz to 4 KHz.